

File and Document storage

PRIODOC filing and document cabinets

Fire resistance of 30 and 90 minutes



General requirements for the file storage

In every company there are records and documents, which need to be kept under tight wraps and stored securely. The need of such storage derives from statutory periods of safekeeping for business documents, such as those listed in the Commercial Code.

The obligation to preserve records is an integral part of tax and commercial accounting and record requirements. Consequently, everyone

required to keep books and records by tax or commercial law is also required to store these.

It is further recommended to safeguard and protect HR as well as R&D documents.



To safely keep documents is comprised of two areas of action:

- The protection against unauthorized access by third parties.
- The protection against destruction by fire, water, moisture, and light.

Companies need to ensure such protection for their files, records and documents.

PRIODOC for file and document storage



- | | | |
|------------------------------------------|----------------------------------------------|--------------------------------------|
| 1 Door leaf individually lockable | 3 Adjustable shelves | 5 Vertical filing drawer* |
| 2 Replaceable locking cylinder | 4 Space for jack lifts under the base | 6 Door closer with hold-open* |
| | | 7 Centre wall* |





* Options

- Light fire protection cabinets - LFS 30 P and LFS 60 P according to EN 15659:2009
- ECB•S certified to ECB•S C10 Directive



PRIODOC 30

Light file/document cabinets



Light fire protection cabinet for secure file and document storage - versatile use. Built for storing large amounts of confidential documents and records worth protecting. The ECB-S certification guarantees quality and safety of the cabinets according to European standards.

Function

- LFS 30 P classification according to EN 15659
- ECB-S certified double-leaf cabinet
- Smoke protection

Construction

- Single-layer solid wall construction of homogeneous material
- Double-leaf cabinet, doors can be individually and independently opened and closed
- Doors close flush with body, opening angle ca. 180°
- Locking system with single cylinder
- Locks in a striker plate that is mounted on the centre shelf
- Smoke and fire seals, automatically expand in case of fire
- Shelves are adjustable in height with a spacing of 32 mm
- Protection against external influences from dust and dirt
- Space for jack lifts under the base, height 90 mm with removable front panel

Material characteristic

- Homogeneous building material, single-layer structure
- Standard surface CPL
- Standard surface light grey, similar to RAL 7035, with ABS edges
- Easy to clean

Scope of delivery

- PRIODOC 30 filing cabinet fully assembled on pallet


Options and accessories

- Other surfaces on request





- Centre panel and suspension file drawer

Standard design








AS32-124-123

1 shelf



AS32-196-123

3 Shelves


Art.	 H x W x D mm	 H x W x D mm	 kg	 Quantity	 kg
Filing and document cabinet, double-leaf AS32 – Standard design					
AS32-124-123	1060 x 1160 x 376	1248 x 1236 x 454	145	1	75
AS32-196-123	1773 x 1160 x 376	1961 x 1236 x 454	209	3	
Filing and document cabinet, double-leaf AS32 – Empty case for individual equipment (see accessories)					
AS32-124-123-0	1060 x 1160 x 376	1248 x 1236 x 454	135	–	–
AS32-196-123-0	1773 x 1160 x 376	1961 x 1236 x 454	195	–	

Text for invitation to tender can be found at: www.priorit.de


Art.	Accessories
Supplementary equipment for file and document cabinet AS32 with centre wall	
AS32-196-MW-0	Centre wall top including fixings for AS32-196-123-0
AS32-196-MW-U	Centre wall bottom including fixings for AS32-196-123-0
AS32-124-MW-0	Centre wall top including fixings for AS32-124-123-0
AS32-124-MW-U	Centre wall bottom including fixings for AS32-124-123-0
AS32-FB0-S	Additional shelves
AS32-HRA-S	Vertical filing drawer including drawer guides
AS32-KB-MW	Structural shelf top including fixings ¹⁾
Supplementary equipment for filing and document cabinet AS32 without centre wall	
AS32-FB0-B	Additional shelves
AS32-HRA-B	Vertical filing drawer including drawer guides

¹⁾ Structural shelves (AS32-KB-MW) must be installed for subsequently mounted centre wall tops to maintain the ECB-S certification, which are already integrated in the standard version without centre wall.


Design variants for AS32-124-123-0 (Selection)




1 Shelf, 1 Vertical filing driver



1 Shelf, 1 Vertical filing driver, centre wall top




1 Shelf, 1 Vertical filing driver, centre wall top, without door closer




2 Shelves, 1 Vertical filing driver, centre wall bottom, without door closer


Design variants for AS32-196-123-0 (Selection)




3 Shelves, 2 Vertical filing drawers, centre wall top



4 Shelves, 1 Vertical filing drawer, centre wall top




6 Shelves, centre wall




6 Shelves, 2 Vertical filing drawers, centre wall

PRIODOC 90

File and document cabinets




■ Door lever in stainless steel



■ Vertical filing drawer



■ Adjustable shelves



■ Housing can be moved under with a pallet truck

Fire protection cabinet for secure file and document storage. The ECB-S certification guarantees quality and safety of the cabinets according to the European standard EN 15659*. The cabinet is also suitable for installation in escape and rescue routes because it consists of non-combustible materials.

Function

- LFS 60P classification
- ECB•S certified double-leaf cabinet AS92:196-106-S
- Smoke protection
- Suitability for secure storage of records

Construction

- Body and doors made of solid material, inside and outside with decorative surface
- Optional single-leaf or double-leaf design
- 6-point support for each door leaf
- Door closes flush with body, opening angle ca. 180°
- Automatic locking of non-active leaf if active leaf is closed
- Locking system with triple latch lock, profile semi-cylinder
- Smoke and fire seals, automatically expand in case of fire
- Vertically adjustable shelves in 32 mm grid
- Protection against external impacts from dust and dirt

Material characteristic

- Building material with surface coating, classification A2 – s1, d0 non-combustible
- Standard surface CP laminate
- Colour light grey, similar to RAL 7035, with ABS edges

Scope of delivery

- PRIODOC 90 filing cabinet fully assembled on pallet


Options and accessories






- Other surfaces on request
- Additional shelf
- Hanging file drawer incl. pull-out guide
- Door closer with hold-open (only for AS91)
- Protection class according to IP 54



* ECB-S certification for the double-leaf file storage cabinet with shelves AS92:196-106-S

Standard version




Art.						Hanging file drawer
	H x W x D mm	H x W x D mm	kg	Quantity	kg	Quantity
Filing and document cabinet, single-leaf AS91						
AS91:196-057-S	1768 x 492 x 407	1964 x 576 x 491	303	4	75	–
AS91:196-057-FBO-HRA				3		2
Filing and document cabinet, double-leaf AS92						
AS92:196-106-S	1768 x 980 x 407	1964 x 1064 x 491	485	4	75	–
AS92:196-106-F-HRA-S				3		2


Art.	Accessories
Supplementary equipment for filing and document cabinet AS91	
AS91-FBO	Additional shelves
AS91-HRA	Vertical filing drawer including drawer guides
AS91-TSF	Door closer with door check strap – Self-closing in case of fire ¹⁾
Supplementary equipment for filing and document cabinet AS92	
AS92-FBO	Additional shelves
AS92-HRA	Vertical filing drawer including drawer guides

¹⁾ When installing a door closing mechanism, the usable interior height is reduced by approx. 100 mm.


Design versions




AS91:196-057-FB0-HRA
3 Shelves
2 Vertical filing drawers



AS91:196-057-S
4 Shelves



AS92:196-106-S
4 Shelves



AS92:196-106-F-HRA-S
3 Shelves
2 Vertical filing drawers

Production and safety

The ISO 9001 certification gives security.. All PRIORIT fire protection product development and manufacturing processes comply with internationally recognised rules. You can count on that! That's for sure!

PRIORIT AG
Technologiepark Hanau
Margarete-von-Wrangell-Straße 23
D-63457 Hanau-Wolfgang

Telefon: +49 6181 3640-0
Telefax: +49 6181 3640-210

info@priorit.de
www.priorit.de

